

# Hydrospheric Atmospheric Research Center

**Nagoya University**



# Foreword



Hydrospheric Atmospheric Research Center  
Prof. Kenji NAKAMURA, Director

Earth is also referred to as the “Blue Planet.” Earth has a large amount of water; however, that is not why it is called the “Blue Planet.” Water exists on other planets or satellites in our solar system. The unique property of water on Earth is that it exists in three phases: solid, liquid, and vapor. Water in the solid phase moves slowly, but liquid and vapor phase water moves fast over a long distance. Earth has a unique water cycle system. Liquid water has large heat capacity, which helps in reducing earth’s temperature, which would have otherwise been intolerably high. The large capacity of water to dissolve materials results in a unique material cycle on Earth. The ecosystem in which human beings live is based on water, and our daily life is largely dependent on it.

In recent years, climate change due to factors such as global warming has attracted much attention. Climate change includes change in the water cycle, which will profoundly affect our lives. Imagine what will happen if the Baiu, a rain band in and around Japan in early summer, disappears. Our life and culture will be forced to change. Thus, it is essential to predict the future change in the water cycle. The prediction must be based on the in-depth understanding of the Earth system, including the climate system and water cycle.

The Hydrospheric Atmospheric Research Center (HyARC) was established in April 2001 and it focuses on research of the Earth water cycle. The scope of HyARC includes meteorology, hydrology, land–atmosphere interaction, and biological effects on the material cycle in the hydrosphere. We have been and will continue to conduct field experiments, satellite data analyses, and modeling investigations in collaboration with other universities and research institutes not only in Japan but also worldwide. HyARC will play a leading role in the inter-university collaborative system for water cycle research.

# History

Water is essential for life. It circulates on earth, and even small fluctuations of the water cycle may cause serious problems on human life. The fluctuation, viz. temporal and spatial distributional variation of water, results from multiple factors at different time and spatial scales. These include natural factors as well from human induced changes on the earth system. The complex nature of the multi-scale temporal and spatial variability of the water cycles makes its understanding and prediction difficult. It is therefore desirable, to overcome this difficulty, to conduct integrated studies of various aspects, such as physics, biology and chemistry and/or air, land and oceans, on the structure and variability of the multi-scale water cycles as parts of a whole water cycle system in the earth system.

The Institute for Hydrospheric-Atmospheric Sciences (IHAS) has been established 1 April 1993 to conduct integrated studies on the structure and dynamics of the hydrosphere and atmosphere aiming at understanding the relationship of processes in water and material cycles in a changing earth environment. IHAS had been appreciated by its important contribution in the coordination of national and international joint research projects on earth environmental studies. During the 8-years history of IHAS the global warming and connected environmental changes became an urgent societal issue, and hence serious discussion on the future research strategy has been made in the IHAS.

The conclusion was to bifurcate activities of IHAS. First to concentrate on the intensive integrated research of the water cycle which is to be conducted by a nation-wide collaborative Hydrospheric Atmospheric Research Center, HyARC. Second to disseminate achievements of the Science of Hydrosphere and Atmosphere acquired at IHAS. Third to conduct multidisciplinary studies on "Environmentology" in collaboration with researchers with broad background of science, technology and humanities. The conclusion was materialized with the joint efforts of many people in Nagoya University, the Government of Japan and the Scientific Societies who supported the idea.

HyARC designed to be a national core research center to facilitate national and international interdisciplinary cooperative studies on the global water cycles in order to reveal the multi-scale structure of the water cycle and to understand its variability.

HyARC comprises of two research divisions according to the time and spatial scales of the water cycles of interest. The division for Regional-Scale Water Cycle Processes conducts observational research for the various processes in the water cycles as well as development of numerical models.

The division for Global-Scale Water Cycle Variations conducts analysis of time-series data on variability of water cycle systems to develop numerical models. The target time scale ranges from seasonal to decades, and spatial scale from an observational site to Asia-West Pacific regions. HyARC puts emphasis on biological activities on land and in the oceans. The biological activities, maintained by water cycles, are invariably associated with material exchange between the cells and environments, and this is why the biota is situating at the crossover point of the water and material cycles. Biology is considered to play key roles in large scale and long-term variability of the water cycle systems, but little is yet known. This would be one of the challenges of the HyARC.


# Organization

## Purpose of Hydrospheric Atmospheric Research Center

The goal of HyARC is to reveal multi-scale structure of the water cycle systems and its variability in order to better understand the global climate system, and to improve predicting capability of future climate, water resources, and food production, which are quite important for human life. The HyARC has been established on 1 April, 2001 as an institute for collaborations with academic communities.

## Organization

(as of April 2011)



## Administration

### Board of Councilors

---

NAKAMURA Kenji: Director, Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
UYEDA Hiroshi: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
YASUNARI Tetsuzo: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
ISHIZAKA Joji: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
TANAKA Kentaro: Prof., Graduate School of Science, Nagoya University  
TSUJIMOTO Tetsuro: Prof., Graduate School of Engineering, Nagoya University  
TAKENAKA Chisato: Prof., Graduate School of Bioagricultural Sciences, Nagoya University  
KANZAWA Hiroshi: Prof., Graduate School of Environmental Studies, Nagoya University  
MATSUMI Yutaka: Prof., Solar-Terrestrial Environment Laboratory, Nagoya University

### Advisory Board

---

UYEDA Hiroshi: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
YASUNARI Tetsuzo: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
ISHIZAKA Joji: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
TSUBOKI Kazuhisa: Assoc. Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
MASUNAGA Hirohiko: Assoc. Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
KUMAGAI Tomo'omi: Assoc. Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
MORIMOTO Akihiko: Assoc. Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
FUJIYOSHI Yasushi: Prof., Institute of Low Temperature Science, Hokkaido University  
HANAWA Kimio: Prof., Graduate School of Science, Tohoku University  
SUMI Akimasa: Prof., Integrated Research System for Sustainability Science, The University of Tokyo  
FUKUSHIMA Yoshihiro: Designated Prof., Tottori University of Environmental Studies  
YAMANAKA Manabu: Principal Scientist, Research Institute for Global Change, Japan Agency for Marine-Earth  
Science and Technology  
YAMANOUCHI Takashi: Prof., National Institute of Polar Research  
TANIGUCHI Makoto: Prof., Research Institute for Humanity and Nature  
OKI Riko: Senior Researcher, Earth Observation Research Center, Japan Aerospace Exploration Agency

### Board on Research Collaboration



---

UYEDA Hiroshi: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
ISHIZAKA Joji: Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
MORIMOTO Akihiko: Assoc. Prof., Hydrospheric Atmospheric Research Center, Nagoya University  
FUJIYOSHI Yasushi: Prof., Institute of Low Temperature Science, Hokkaido University  
TANIGUCHI Makoto: Prof., Research Institute for Humanity and Nature  
OKI Riko: Senior Researcher, Earth Observation Research Center, Japan Aerospace Exploration Agency

# What is Water Circulation?


Water circulates in the whole of the Earth surfaces with different phases (states) such as ice (solid), water (liquid), and water vapor (gas). Water also plays an important role on the re-distribution of the energy and material on the Earth by not only the vertical interactions between the ocean and the atmosphere, land-atmosphere, and horizontal movement between land and ocean, but also global scale circulations in the ocean and the atmosphere via tropics - sub-tropics - temperate - cold regions. Our Earth has not homogeneous distributions of land and ocean, and terrestrial elevation; thus, temporal and spatial circulations of water have been changing with wide variability.

HyARC focuses on the spatial and vertical structure of water cycle over the globe. HyARC also mentions the activities of lives, and takes a leadership for investigations of water cycle, by carrying out the overall field experiments, using satellites dataset, and numerical models for water cycles.



Water cycle  
(Reference: University of Tokyo Press )


The amount of water  
(Reference : ENCYCLOPEDIA of HYDROLOGY AND WATER RESORCES,1998)




Cloud processes, including diabatic heating and radiation, have are important for the global energy and water circulation (left: cumulus cloud over the Western Pacific Ocean, right: stratocumulus cloud over the East China Sea).

## Research Topics in HyARC



- Research on local atmospheric phenomena such as heavy rainfall, tornados, and generation of cumulonimbus due to atmospheric convection
- Research on organized precipitation systems including the Baiu frontal region and typhoon
- Study on biosphere-aerosol-climate interaction
- Research on the interactions between tropical atmospheric dynamics and convective clouds
- Research on transfer processes of water, heat and mass exchanges over various terrestrial ecosystems
- Research on precipitation activity in various spatial / temporal scales using satellite remote sensing
- Research on marine biological activity and related water cycles using satellite remote sensing



Three-dimensional typhoon T0418 structure simulated by the Cloud Resolving Storm Simulator (CReSS) using 1-km horizontal grid resolution. The white smoke-like color indicates the amount of liquid cloud water outlined by Persistence of Vision Ray Tracer (POV-Ray). Courtesy of Professor T. Aoki and Ms. S. Sato, Tokyo Institute of Technology.



Phytoplankton pigment (chlorophyll-a) concentration in August from 1998 to 2006 determined by ocean color remote sensing. Increased phytoplankton with nutrients from the influence of the Chinese river, Changjiang, reached almost Japan.



Average rain distribution after it started raining around Okinawa Island. Left: satellite data, right: Radar -AMeDAS.


# Research Division

## Regional-Scale Water Cycle Processes

We investigate water cycle processes linked to the atmosphere, continents, and oceans by means of field experiments, data analyses, and numerical simulations. Our research targets include the dynamical and microphysical processes of cloud and precipitation systems and interactions among the atmosphere, land surface, and ocean, including the roles of vegetation and biological processes in the context of the global water cycle.

In field experiments, we perform observations of the water cycle in many different ways. Precipitation systems in the Baiu front and typhoons around the East China Sea and the Japan Islands are observed using polarimetric Doppler radars. At the same time, we are developing a cloud-resolving numerical model to examine the detailed structure of heavy rainfall/snowfall systems, typhoons, and tornados. In addition, we investigate the mechanisms of diurnal, intraseasonal, seasonal, and annual variations of Asian monsoon using reanalysis data and climate models. Satellite data are fully utilized for regions beyond the reach of ground observational networks.


In an effort to establish strategies to exploit observations and model simulations complementarily, we are exploring methodologies to validate cloud-resolving numerical simulations using ground-based and satellite data. Analysis tools and datasets obtained from our observational and modeling studies will be made available to the public. Our objective is to obtain a comprehensive understanding of the Earth's water cycle by continuing and further expanding ongoing research on individual processes and interactions among the atmosphere, hydrosphere, and biosphere.




Vertical cross section of different types of precipitation particles detected by the polarimetric radar situated at Nagoya University along an azimuth of 316.08 degrees at 22:23 JST on August 28, 2008. Yellow and orange colors show the existence of graupel above the melting level.



A new X-band polarimetric Doppler radar situated at Nagoya University.



Satellite data analysis of the interaction among the Madden-Julian Oscillation (MJO) and equatorial atmospheric waves (and its schematic). The result offers a new insight into the atmospheric dynamics governing tropical convective clouds.



Spatial distribution in precipitation and moisture flux vectors over monsoon Asia in summer.

## Current Research Field

### ◆ Lab. of Meteorology



**YUEDA Hiroshi (Professor)**

tel: (052) 789-3492 e-mail : [uyeda@rain.hyarc.nagoya-u.ac.jp](mailto:uyeda@rain.hyarc.nagoya-u.ac.jp)

Major works are field experiments in moist Asia and data analyses aiming to reveal the generation and development mechanisms of precipitation systems. Energy and water circulation in the area from the west Pacific ocean to the Baiu/Meiyu frontal zone are investigated by jointly synthesized observations and diagnostic analyses with numerical simulations, solving the problems of boundary layer flux, cumulus cloud formation and cloud physical processes. He is aiming to clarify the characteristics of precipitation systems in moist Asia and to reveal the impact of precipitation systems in climate change by investigation of various precipitation systems in Asia.



**TSUBOKI Kazuhisa (Assoc. Professor)**

tel: (052) 789-3493 e-mail : [tsuboki@rain.hyarc.nagoya-u.ac.jp](mailto:tsuboki@rain.hyarc.nagoya-u.ac.jp)

Water circulation of the atmosphere is characterized by clouds and precipitation. Their formation and evolution are diverse and complex. In order to study the mechanism and structure of clouds, both observation and numerical modeling are important. I perform field experiments and develop a cloud model (the Cloud Resolving Storm Simulator; CReSS) to study the nature of clouds and precipitation.



**SHINODA Taro (Assist. Professor)**

tel: (052) 789-3494 e-mail : [shinoda@rain.hyarc.nagoya-u.ac.jp](mailto:shinoda@rain.hyarc.nagoya-u.ac.jp)

I have studied the development process and structure of deep convective clouds by using results of radar observations and numerical simulation. I am also interested in the generation of shallow convective clouds around the top of the convective mixing layer. Especially, I consider that the land-atmosphere interaction and the humidity in the middle troposphere are affecting the development of deep convective clouds. I will research the process of the boundary layer and cloud physics in order to improve the parameterizations utilized in GCMs (General Circulation Models) and RCMs (Regional Climate Models).



**OHIGASHI Tadayasu (Designated Assist. Prof.)**

tel: (052) 789-3493 e-mail : [ohigashi@rain.hyarc.nagoya-u.ac.jp](mailto:ohigashi@rain.hyarc.nagoya-u.ac.jp)

Extreme phenomena such as heavy rainfall/snowfall and high winds occur occasionally in the atmosphere. My interests lie in how extreme phenomena start, develop, and are maintained. Recent progress of both simulation models and computer performance enables us to create an apparently realistic computer-simulated atmosphere. This provides valuable information for us to understand the phenomena, while numerical models cannot completely simulate the real atmosphere. Observation provides us with accurate data. However, this information is fragmentary in space and time. By the complementary use of computer simulation and observation with imperfect information, I am attempting to clarify the mechanisms causing the extreme phenomena.

### ◆ Lab. for Climate System Study



**YASUNARI Tetsuzo (Professor)**

tel: (052)789-3465 e-mail: [yasunari@hayrc.nagoya-u.ac.jp](mailto:yasunari@hayrc.nagoya-u.ac.jp)

The Asian monsoon provides abundant water for human life and diverse biosphere in this humid Asia. This monsoon system, on the other hand, plays an essential role in the earth climate system as a gigantic water cycling system. We are conducting intensive and extensive studies on the Asian monsoon system and its variability with various time-space scales, particularly focusing on the energy and water cycle processes (i.e., precipitation and convective activity, water vapor transport, evapotranspiration, runoff etc) between land, atmosphere and oceans. We also focus on how some dominant vegetation in the monsoon Asia (e.g., tropical rain forest in southeast Asia, grassland in Mongolia, taiga in Siberia etc.) are maintained through the interaction between climate, water cycle and the eco-systems.



**FUJINAMI Hatsuki (Assist. Professor)**

tel: (052)789-3474 e-mail: [hatsuki@hayrc.nagoya-u.ac.jp](mailto:hatsuki@hayrc.nagoya-u.ac.jp)

I study the space-time variability of convection and associated atmospheric circulation over the Asian summer monsoon regions using satellite data, global objective analysis data, and surface observation data. I focus on the land areas affected by Asian summer monsoon (e.g., the Tibetan Plateau, the plains of the eastern part of China, Nepal, and Bangladesh). The target timescale ranges from diurnal to interannual. I will investigate the relationship between land surface conditions (e.g., topography, vegetation, etc.) and the convective variability.

### ◆ Lab. for Cloud and Precipitation Climatology



**MASUNAGA Hirohiko (Assoc. Professor)**

tel: (052)789-5413 e-mail: [masunaga@hayrc.nagoya-u.ac.jp](mailto:masunaga@hayrc.nagoya-u.ac.jp)


Clouds and precipitation are not only susceptible to ambient climate changes but are also crucial for climate formation. Our objective is to further understand the Earth's climate system by thoroughly and carefully examining clouds and precipitation present around the globe. Observations from satellite radars and radiometers, together with other research tools including numerical models, are instrumental in the projects we have underway. We also aim at contributing to international satellite programs via the development of data analysis algorithms.

# Research Division

## Global-Scale Water Cycle Variations


This division conducts scientific investigations on the nature and mechanisms of variability of the global water circulation system mainly by data analysis and global numerical modeling with an insight into interactions between the water cycle, material cycle and biological processes. The data from satellites and other sources, which are of different quality, will be assimilated into reconciled grid data by the use of the numerical model prior to data analysis.

Since the variability of the water circulation system depends not only on internal factors inherent in the system, but also on external ones, individual parameters of these factors will be examined for its responsibility for and sensitivity to the system variability by data analysis and the global numerical model. By combined use of the results from these examinations, we will clarify the mechanisms regulating the variability of the global water circulation system.





Global rainfall rate map derived from TRMM/ TMI during JJA on 1998-2002(upper), Maps of local time with TMI maximum rainfall rate with the saturation of 0-1 as an amplitude of diurnal variation(middle) and without above saturation (lower).

Global ocean primary production in April 2009. It is estimated by satellite-observed phytoplankton pigment (chlorophyll-a) concentration, sea surface temperature, and photosynthetically active radiation.



Measurements of individual tree water use (upper panels) and the results obtained on each day at the center of the south-facing slope (a), an upper position (b) and a lower position (c) of the north-facing slope. Using many such sensors distributed over a forest watershed, we can examine the environmental response of forest water use at a catchment scale.



The Kuroshio northeast of Taiwan observed by long-range ocean radar before and after the typhoon passage. Red indicates a current velocity greater than 1 m/s. The Kuroshio flows northeastward before the typhoon approaches and flows northward after the typhoon passage.

## Current Research Field

### ◆ Lab. of Satellite Meteorology




**NAKAMURA Kenji (Professor)**

tel: (052)789-5439 e-mail: nakamura@hyarc.nagoya-u.ac.jp

Satellites are powerful and essential tools for long-term global observation. Visible/infrared radiometers and microwave radiometers have a long history for clouds and precipitation system observation from satellites. Recently a spaceborne radar which can observe three-dimensional structure of rain over land or ocean, was realized. Satellite data, mainly the spaceborne radar data are analyzed in my laboratory. Not only precise and accurate rain distribution but also rain height distribution and diurnal variations were revealed from the radar data. These results are new and interesting to clarify the variation of precipitation systems on Earth. Retrieval algorithms are important for spaceborne Earth observation sensors, and evaluation and improvement of the algorithm are also performed.

### ◆ Lab. of Environmental Biophysics



**KUMAGAI, Tomo'omi (Assoc. Professor)**

tel: (052)789-3478 e-mail: kuma@hyarc.nagoya-u.ac.jp

Life is controlled by exogenous environmental physical factors, and vice versa. Based on the concept of energy and matter flows in the Soil-Plant-Atmospheric Continuum (SPAC), I investigate such interactions between the biosphere and atmosphere at various time and spatial scales, i.e., from cell to community of life. In particular, to clarify the impact of climate and land use changes on regional water and carbon cycles in Southeast Asian tropics, I am conducting detailed observations on microclimate, energy/water/carbon eddy flux, and ecophysiology and analyzing those data using mathematical models.



**TANAKA Hiroki (Designated Assoc. Prof.)**

tel: (052)789-3439 e-mail: hiroki@hyarc.nagoya-u.ac.jp

A hydrological system includes the terrestrial natural ecosystem and human society. Change in the response of river discharge to precipitation is caused by changes in the water demand of vegetation, water holding capacity, permeability of soil, and human water utilization as well as flood control and industries in human society. I evaluate the hydrological property of each ecosystem including farmlands, forests, and other ecosystems such as human society to clarify the influence of human activities on the hydrological process and the impact of change in the hydrological process on human society.

### ◆ Lab. of Satellite Biological Oceanography



**ISHIZAKA Joji (Professor)**

tel: (052)789-3487 e-mail: jishizak@hyarc.nagoya-u.ac.jp

Primary production of marine environment is conducted mostly by microscopic phytoplankton and is the most important process for energy and material flows through marine ecosystem. Primary production of the marine environment is studied by satellite remote sensing, ship observation, and analysis of the past dataset. Currently, coastal environment is the main target because it is under the influence of human impact through changes in freshwater input and nutrient load and under the influence of climate change through modification of ocean current and wind. The East China Sea, the Japan Sea, and Ariake Sound have been studied, and we are planning to study the Ise and Mikawa bays.



**MINO Yoshihisa (Assist. Professor)**

tel: (052)789-3491 e-mail: kuro@hyarc.nagoya-u.ac.jp

Marine biological processes contribute significantly to the absorption of atmospheric CO<sub>2</sub> by the oceans, which in turn controls atmospheric CO<sub>2</sub> concentration on long time scales and thereby influences global climate. My study involves the evaluation of spatial-temporal variability in such biological processes, mainly carbon fixation by phytoplankton and sinking of biogenic debris, and the elucidation of their controlling mechanisms using stable isotopes ( $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$ ) in the marine organic matter. The physiological responses of algae to the environmental changes, associated with global warming, are also investigated with help of both laboratory experiments on algal cultures and field observations.

### ◆ Lab. of Bio-Physical Oceanography



**MORIMOTO Akihiko (Assoc. Professor)**

tel: (052)789-3433 e-mail: amorimoto@hyarc.nagoya-u.ac.jp

Variability of the sea surface current field in the ocean, which affects the material cycle, is investigated by using satellite, ocean radar, and hydrographic data. I focus on the variability in the current field and the response of the ecosystem to the current variability in the Asian marginal seas such as the East China, Yellow, and Japan seas. The marine environments in the East China and Japan seas are drastically changing due to climate change and construction of the Three Gorges dam. To investigate the marine environment change, we conducted hydrographic observation in the Tsushima Straits, which connect the East China Sea to the Japan Sea.

# Research Programme


## Formation of a virtual laboratory for diagnosing the Earth's climate system (VL)

To diagnose the Earth's climate system facing global warming, a virtual laboratory (VL) was established in 2007 as a joint program conducted by the following four research centers: (1) Center for Climate System Research (CCSR, currently Atmosphere and Ocean Research Institute or AORI), the University of Tokyo, (2) Center for Environmental Remote Sensing (CEReS), Chiba University, (3) Center for Atmospheric and Oceanic Studies (CAOS), Graduate School of Science, Tohoku University, and (4) Hydrospheric Atmospheric Research Center (HyARC), Nagoya University. The duration of this program is seven years. Each participating institute contributes to the program by exploiting their own strengths, for example, archiving datasets of greenhouse gases, aerosols, microphysical parameters of clouds, vegetation parameters, and the structure of cloud and precipitation systems. These data are crucial for validating and evaluating global circulation models (GCMs) and regional cloud-resolving model simulations. Furthermore, we aim at training young scientists through the research program. While a short training course is conducted every year by one of our participating institutes in turn, we exchange our staff and young scientists to give seminars.

The VL members at HyARC conduct water budget studies with focus on cloud and precipitation using the Cloud Resolving Storm Simulator (CReSS) and the Satellite Data Simulator Unit (SDSU). In this program, we investigate six themes as follows:

- (1) Development of the CReSS model
- (2) Establishment of methodology to validate CReSS simulations using the SDSU
- (3) Implementation of a data assimilation scheme for the CReSS
- (4) Establishment of methodology to use CReSS simulations for improving the cloud parameterizations for GCMs
- (5) Development of a two-way nesting scheme linking GCM and CReSS
- (6) Establishment of data analysis techniques for X-band polarimetric radars

We started a pilot study to validate the cloud-top height (temperature) computed from CReSS simulations using the SDSU to compare that with satellite data provided from CEReS, Chiba University (see Figure). We are exploring methodologies to validate CReSS simulations in order to improve the microphysical scheme in the CReSS.



(Left panel) Horizontal distributions of infrared brightness temperature calculated using the SDSU and simulated by the CReSS at 12 UTC on July 7, 2005 around the western Japan Islands. (Right panel) Same as the left panel, but for multi-functional transport satellite (MTSAT) observation. Courtesy of Dr. M. K. Yamamoto and Professor A. Higuchi, CEReS, Chiba University.

## Study consortium for Earth-Life Interactive System

### What is Study consortium for Earth-Life Interactive System (SELIS)?

As scientists work towards solving the current global environmental issues, there is a great need for a more complete understanding of the earth system. To achieve this aim it is essential to establish and promote a synthetic science of the Earth-Life Interactive System – a science that treats the close interaction between the atmosphere, the hydrosphere, the geosphere, and the biosphere. James Lovelock, a British environmental scientist, proposed the radical new “Gaia” concept- a proposal that the Earth’s environment is actively controlled by the biosphere. However, the extent and ways in which the real earth system behaves like “Gaia” remain major unresolved issues. The mission of the new institute **SELIS (Study consortium for Earth-Life Interactive System)** is to achieve a deep understanding of the earth system – a system on which all the living creatures depend - and through this to propose a new discipline to study our planet Earth.

### The departments and institutes contributing to SELIS in Nagoya University

- Hydrospheric Atmospheric Research Center (HyARC)
- Solar-Terrestrial Environment Laboratory (STEL)
- Center for Chronological Research (CCR)
- Graduate School of Environmental Studies (GSES)
- Graduate School of Bio-agricultural Studies (GSBS)



HyARC, STEL, CCR and GSES were participated in the 21st COE program “Sun-Earth-Life Interactive System” (the precursor of new SELIS) - and GSBS – an important new addition – which together will underpin research and education of the “Earth-Life Interactive System”. Our organization is unique in Japan. We envisage SELIS playing an important role as an international base for both research and education related to studies on the earth system and environmental change in Asia. Collaboration with international global change programs such as ESSP, WCRP and IGBP will be an important part of this process. Within the university, SELIS is committed to educating students in earth environment studies, through a lecture series “Earth Study”, cross-disciplinary seminars, and other activities.

### Purpose of SELIS

To understand the seamless-earth system - including the biosphere and humanosphere - and its changes, it is essential to further develop interdisciplinary research and education. Under these circumstances, we have established a new virtual institute **SELIS** within Nagoya university (NU) involving HyARC, STEL, OCR, GSES, and GSBS, which will function as an international center of excellence for global change studies, in collaboration with related national and international institutions and organizations. The purpose of this new SELIS is to promote an interdisciplinary study on the the seamless-earth system. Special attention will be paid to active roles of the biosphere and ecosystems in the earth climate system and its changes. In June 2009 a **Global COE Program** for the environmental studies at NU has been approved by the Ministry of Education, Science, Sports and Culture (MEXT), and SELIS is also playing an important role on coordinating interdisciplinary environmental studies in this Global COE Program.



SELIS website: <http://www.selis.hyarc.nagoya-u.ac.jp>

# Other Important Activities


The Hydrospheric Atmospheric Research Center is also receiving research students, commissioned researchers and other researchers. Further, concerning UNESCO-IHP (International Hydrological Program), HyARC is receiving trainees dispatched from countries of especially East Asian and Southeast Asian for a short term every year who obtain special lectures and training on studies of global water cycles. As enlightening activity for the public, the Research Center holds every year some public lectures spoken in a plain language and explaining the basic scientific issues of global water cycles, global environmental problems and other subjects.

The water cycle is a very important component of the Earth's environmental system. HyARC arouses Special Research Projects and promotes basic studies on global water cycles in cooperation with researchers from other universities and institutes. HyARC is closely connected with the Research Institute for Humanity and Nature (RIHN). We participate in cooperative projects related to global water cycles in the world. Further the staff of HyARC connects actively with researchers working in other universities and institutes.




IHP Training Course: Technical Tours at Japan Aerospace Exploration Agency in Tsukuba.

As a member of the former Institute for Hydrospheric-Atmospheric Sciences, we took part in the GEWEX Asian Monsoon Experiment endorsed by the WCRP (World Climate Research Program) and managed the Experiment as a secretariat in and outside Japan. Moreover, we coordinated a process study in the Northwestern Pacific ocean under Joint Global Ocean Flux Study (JGOFS) being supported by International Geosphere-Biosphere Program (IGBP). Similar activities are also carried out by HyARC.




## Access Guide



## Map

### Higashiyama Campus



1 ~ 3 Subway Meijo Line "Nagoya Daigaku" Station

♀ City Bus "Nagoya Daigaku mae" Bus Stop

Toyoda Auditorium  
Nagoya University Symposion



**Hydrospheric Atmospheric Research Center**  
**Nagoya University**  
**2011**

Address: Furo-cho, Chikusa-ku, Nagoya 464-8601 JAPAN

Phone: +81-52-789-3466 FAX: +81-52-789-3436

URL <http://www.hyarc.nagoya-u.ac.jp/english/>